

Datasheet

SIGNUM 20 White Pair

Part No: 610033



About the product

If you are looking for a **speaker for smaller rooms** or the effects area in a surround system, the new SIGNUM 20 is the right choice. The **compact 2-way bookshelf speaker** has everything that characterizes the entire product family: contoured fundamental and crystal-clear overtones, spaciousness and localization, high dynamics and the talent to reveal **all details** even with quiet music.

The prices refer to 1 set (2 pieces)!

Audio Specifications

| | |
|--------------------------|---------------|
| Speaker type | 2-way |
| Nominal and music power | 60/90 W |
| Frequency range | 42...32.000Hz |
| Crossover frequency | 3.200 Hz |
| Sensitivity | 85dB |
| Nominal impedance | 4 Ohm |
| Tweeter type | RiCom-Sigma |
| Woofer membrane material | Titanium-PP |
| Woofer Ø | 155 mm Ø |

Technical Data

| | |
|-----------|---------|
| Principle | closed |
| Weight | 6.54 kg |

Weight & Dimensions

| | |
|--------------------|-----------------|
| Product dimensions | 30 x 17 x 26 cm |
|--------------------|-----------------|

Installation must be carried out by a qualified electrician in accordance with the relevant regulations.

Published by

Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com

Loxone UK Ltd.
The Forum
Station Road
Theale, RG7 4RA
United Kingdom

Datenblatt

SIGNUM 20 White Pair

Part No: 610033



Über das Produkt

Wer einen **Lautsprecher für kleinere Räume** oder den Effektbereich im Surroundverbund sucht, ist bei der neuen SIGNUM 20 genau richtig. Der **kompakte 2-Wege-Regallautsprecher** hat alles, was die gesamte Produktfamilie auszeichnet: konturierte Grund- und kristallklare Obertöne, Weiträumigkeit und Ortungsschärfe, eine hohe Dynamik und das Talent, selbst bei leiser Musik **alle Details zu offenbaren**.

Die Preisangaben beziehen sich auf 1 Set (2 Stück)!

Audio-Spezifikationen

| | |
|---------------------------|---------------|
| Lautsprecher Typ | 2-Wege |
| Nenn- und Musikleistung | 60/90 W |
| Übertragungsbereich | 42...32.000Hz |
| Übergangsfrequenz | 3.200 Hz |
| Empfindlichkeit | 85dB |
| Nennimpedanz | 4 Ohm |
| Hochtöner-Art | RiCom-Sigma |
| Tieftöner-Membranmaterial | Titanium-PP |
| Tieftöner Ø | 155 mm Ø |

Technische Daten

| | |
|---------|-------------|
| Prinzip | geschlossen |
| Gewicht | 6,54 kg |

Gewicht & Abmessungen

Produktmaße

30 x 17 x 26 cm

Die Installation muss von einer qualifizierten Elektrofachkraft gemäß den einschlägigen Vorschriften durchgeführt werden.

Veröffentlicht von

Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com

Loxone UK Ltd.
The Forum
Station Road
Theale, RG7 4RA
United Kingdom