

## Datasheet

### AURUM ORKAN 9

### Black HG

Part No: 610068



#### About the product

The slim ORKAN column looks very **exclusive** and at the same time **unobtrusive**. It integrates easily into any living environment and, if desired, ignites an **acoustic fireworks display** with a quick start, above-average spatiality and **astonishing resolution**.

The quadral quSENSE® tweeter, developed in-house in Hanover, Germany, guarantees a **brilliant high frequency range** with excellent impulse fidelity up to 65,000 Hz. The quadral ALTIMA® midrange driver and the two quadral ALTIMA® woofers guarantee **transparent mids** and an enormously **powerful bass range**, which only reaches its limit at 29 Hz.

**Extend the guarantee of your purchased AURUM product to 10 years now.** Simply contact [info@quadral.com](mailto:info@quadral.com). [To the conditions >](#)

#### Audio Specifications

|                           |  |
|---------------------------|--|
| Speaker type              | 3-way                                  |
| Nominal and music power   | 200/350 W                              |
| Frequency range           | 29...65.000 Hz                         |
| Crossover frequency       | 260/3.700 Hz                           |
| Nominal impedance         | 4 Ohm                                  |
| Tweeter type              | quadral quSENSE® 50mm Aluminium ribbon |
| Midrange                  | 155 mm Ø quadral ALTIMA®               |
| Woofers Ø                 | 2 x 180 mm Ø                           |
| Woofers membrane material | quadral ALTIMA®                        |

## Technical Data

|             |            |
|-------------|------------|
| Principle   | Bassreflex |
| Sensitivity | 87 dB      |
| Weight      | 29,1 kg    |

## Weight & Dimensions

|                    |                  |
|--------------------|------------------|
| Product dimensions | 103 x 22 x 36 cm |
|--------------------|------------------|

Installation must be carried out by a qualified electrician in accordance with the relevant regulations.

### Published by

Loxone Electronics GmbH  
Smart Home 1  
4154 Kollerschlag  
Austria  
Tel: +43 7287 7070-0  
loxone.com

Loxone UK Ltd.  
The Forum  
Station Road  
Theale, RG7 4RA  
United Kingdom

# Datenblatt

## AURUM ORKAN 9

### Black HG

Part No: 610068



#### Über das Produkt

Sehr **exklusiv** und gleichzeitig **unaufdringlich** wirkt die schlanke ORKAN-Säule, die sich problemlos in jegliche Wohnumgebung integriert und auf Wunsch ein **akustisches Feuerwerk** mit schnellem Antritt, überdurchschnittlich ausgeprägter Räumlichkeit und **erstaunlicher Auflösung** zündet.

Der in Eigenentwicklung in Hannover, Deutschland hergestellte quadral quSENSE®-Hochtöner garantiert einen **brillanten Hochtonbereich** mit exzellenter Impulstreue auf bis zu 65.000 Hz hinauf. Der quadral ALTIMA®-Mitteltöner sowie die beiden quadral ALTIMA®-Tieftöner garantieren **transparente Mitten** und einen enorm **kraftvollen Tieftonbereich**, dem erst bei 29 Hz die Grenze aufgezeigt wird.

**Verlängere jetzt die Garantie deines gekauften AURUM Produkts auf 10 Jahre.** Melde dich einfach direkt bei [info@quadral.com](mailto:info@quadral.com). [Zu den Bedingungen >](#)

#### Audio-Spezifikationen

|                           |  |
|---------------------------|--|
| Lautsprecher Typ          | 3-Wege                                 |
| Nenn- und Musikleistung   | 200/350 W                              |
| Übertragungsbereich       | 29...65.000 Hz                         |
| Übergangsfrequenz         | 260/3.700 Hz                           |
| Nennimpedanz              | 4 Ohm                                  |
| Hochtöner-Art             | quadral quSENSE® 50mm Aluminium ribbon |
| Mitteltöner               | 155 mm Ø quadral ALTIMA®               |
| Tieftöner Ø               | 2 x 180 mm Ø                           |
| Tieftöner-Membranmaterial | quadral ALTIMA®                        |

## Technische Daten

|                 |            |
|-----------------|------------|
| Prinzip         | Bassreflex |
| Empfindlichkeit | 87 dB      |
| Gewicht         | 29,1 kg    |

## Gewicht & Abmessungen

|             |                  |
|-------------|------------------|
| Produktmaße | 103 x 22 x 36 cm |
|-------------|------------------|

Die Installation muss von einer qualifizierten Elektrofachkraft gemäß den einschlägigen Vorschriften durchgeführt werden.

### Veröffentlicht von

Loxone Electronics GmbH  
Smart Home 1  
4154 Kollerschlag  
Austria  
Tel: +43 7287 7070-0  
loxone.com

Loxone UK Ltd.  
The Forum  
Station Road  
Theale, RG7 4RA  
United Kingdom