

Datasheet

AURUM ORKAN 9

White HG

Part No: 610069



About the product

The slim ORKAN column looks very **exclusive** and at the same time **unobtrusive**. It integrates easily into any living environment and, if desired, ignites an **acoustic fireworks display** with a quick start, above-average spatiality and **astonishing resolution**.

The quadral quSENSE® tweeter, developed in-house in Hanover, Germany, guarantees a **brilliant high frequency range** with excellent impulse fidelity up to 65,000 Hz. The quadral ALTIMA® midrange driver and the two quadral ALTIMA® woofers guarantee **transparent mids** and an enormously **powerful bass range**, which only reaches its limit at 29 Hz.

Extend the guarantee of your purchased AURUM product to 10 years now. Simply contact info@quadral.com. [To the conditions >](#)

Audio Specifications

Speaker type	3-way
Nominal and music power	200/350 W
Frequency range	29...65.000 Hz
Crossover frequency	260/3.700 Hz
Nominal impedance	4 Ohm
Tweeter type	quadral quSENSE® 50mm Aluminium ribbon
Midrange	155 mm Ø quadral ALTIMA®
Woofer Ø	2 x 180 mm Ø
Woofer membrane material	quadral ALTIMA®

Technical Data

Principle	Bassreflex
Sensitivity	87 dB
Weight	29,1 kg

Weight & Dimensions

Product dimensions	103 x 22 x 36 cm
--------------------	------------------

Installation must be carried out by a qualified electrician in accordance with the relevant regulations.

Published by

Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com

Loxone UK Ltd.
The Forum
Station Road
Theale, RG7 4RA
United Kingdom

Datenblatt

AURUM ORKAN 9

White HG

Part No: 610069



Über das Produkt

Sehr **exklusiv** und gleichzeitig **unaufdringlich** wirkt die schlanke ORKAN-Säule, die sich problemlos in jegliche Wohnumgebung integriert und auf Wunsch ein **akustisches Feuerwerk** mit schnellem Antritt, überdurchschnittlich ausgeprägter Räumlichkeit und **erstaunlicher Auflösung** zündet.

Der in Eigenentwicklung in Hannover, Deutschland hergestellte quadral quSENSE®-Hochtöner garantiert einen **brillanten Hochtonbereich** mit exzellenter Impulstreue auf bis zu 65.000 Hz hinauf. Der quadral ALTIMA®-Mitteltöner sowie die beiden quadral ALTIMA®-Tieftöner garantieren **transparente Mitten** und einen enorm **kraftvollen Tieftonbereich**, dem erst bei 29 Hz die Grenze aufgezeigt wird.

Verlängere jetzt die Garantie deines gekauften AURUM Produkts auf 10 Jahre. Melde dich einfach direkt bei info@quadral.com. [Zu den Bedingungen >](#)

Audio-Spezifikationen

Lautsprecher Typ	3-Wege
Nenn- und Musikleistung	200/350 W
Übertragungsbereich	29...65.000 Hz
Übergangsfrequenz	260/3.700 Hz
Nennimpedanz	4 Ohm
Hochtöner-Art	quadral quSENSE® 50mm Aluminium ribbon
Mitteltöner	155 mm Ø quadral ALTIMA®
Tieftöner Ø	2 x 180 mm Ø
Tieftöner-Membranmaterial	quadral ALTIMA®

Technische Daten

Prinzip	Bassreflex
Empfindlichkeit	87 dB
Gewicht	29,1 kg

Gewicht & Abmessungen

Produktmaße	103 x 22 x 36 cm
-------------	------------------

Die Installation muss von einer qualifizierten Elektrofachkraft gemäß den einschlägigen Vorschriften durchgeführt werden.

Veröffentlicht von

Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com

Loxone UK Ltd.
The Forum
Station Road
Theale, RG7 4RA
United Kingdom